



ROSETTI SUPERYACHTS

SHIPYARD EST. 1925

## SUPPLY VESSEL 85M MIDSHIP HELIPAD

THE BRAND NEW CONCEPT OF THESE 85M SUPPLY VESSEL YACHTS, CONCEIVED FOR ACTUAL EXPEDITIONS, BRINGS THE OWNER INTO ANOTHER DIMENSION. THE PARTICULAR DESIGN OF THESE YACHTS, BASED ON A ROLLS-ROYCE HULL AND TECHNICAL PLATFORM, CONSENT THE TRANSPORT ON BOARD OF HUGE WATER TOYS SUCH AS A SAILBOAT OF UP TO 20 METERS, SUBMARINES, RUNABOUTS OR MOTORYACHTS, ALLOWING THE OWNER TO MAKE THE MOST OF THE SEA.

DESIGN STUDIO SPADOLINI









THANKS TO THEIR HULL DESIGN THEY CAN CRUISE IN ANY SEA, INCLUDING THE TROPICAL, ARTIC OR ANTARCTIC OCEANS.

THIS SPECIAL 5-DECK, A UNIQUE SUPPLY VESSEL YACHT DESIGN FEATURING 6 CABINS FOR THE OWNER AND 10 GUESTS, REPRESENTS A REAL MASTERPIECE IN THE MARINE WORLD. FULL SERVICE ON BOARD IS GRANTED BY 24 CREW MEMBERS, WHOSE CABINS ARE DISTRIBUTED ON THREE DIFFERENT DECKS TO BE IMMEDIATELY AVAILABLE ON CALL.








THE SALOON VIEW IS RELATED TO THE AFT HELIPAD VERSION.






THE OWNER CABIN LAYOUT CAN BE IMPLEMENTED IN BOTH CONFIGURATIONS, AFT AND MIDSHIP HELIPAD.






SUPPLY VESSEL 85M AFT HELIPAD DESIGN STUDIO SPADOLINI  
TECHNICAL DATA


PROFILE




SUN DECK




WHEELHOUSE DECK




UPPER DECK



OWNER'S DECK



MAIN DECK



LOWER DECK



TANKTOP



ENGINES	4 X MTU 16V 4000 M43S 2140 kW	8560 kW	11638 HP
PROPULSION	2 x ROLLS-ROYCE AZP100 2500 kW	5000 kW	6798 HP
SPEED	Maximum speed	20 knots	
	Cruising speed	15 knots	
RANGE (Nautical Miles)	Autonomy at 15 knots	5500 n.m.	

MAIN SIZES	LoA: Length overall	85,00 m	278 ft 10 in
	Lwl: waterline Length	84,50 m	277 ft 3 in
	Maximum Beam	14,50 m	47 ft 7 in
	Depth	8,00 m	26 ft 3 in
	Moulded draft	4,00 m	13 ft 1 in
	Gross tonnage	2200 GRT	

MAXIMUM NUMBER OF GUESTS ON BOARD 12

CERTIFICATION: LR #100 A1 SSC, Yacht, Mono, G6, [R] LMC, UMS, MCA LY3 Compliant

The Technical data, performances, designs and graphic reproductions are purely indicative, are not contractual, shall not constitute in any circumstances whatsoever any contractual offer by the shipyard and refer to European standard models of motor yachts built by the shipyard. The only valid technical reference or description is the specific parameters of each motor yacht cited only on purchase of the same. Therefore the only indications binding on the seller are contained solely in the Contract and in the relevant Technical Specification.

